

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/542,446	07/14/2005	Wilfried Krug	2002P20296WOUS	5112
7590 01/26/2007 Siemens Corporation Intellectual Property Department 170 Wood Avenue South Iselin, NJ 08830			EXAMINER	
			KAPLAN, HAL IRA	
			ART UNIT	PAPER NUMBER
1501111, 143 0000			2836	
				<del> </del>
SHORTENED STATUTOR	RY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MC	ONTHS	01/26/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)					
	10/542,446	KRUG, WILFRIED					
Office Action Summary	Examiner	Art Unit					
	Hal I. Kaplan	2836					
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  If NO period for reply is specified above, the maximum statutory period was reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from 1, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 14 Ju	ılv 2005.						
·	action is non-final.						
·=	,—						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4)⊠ Claim(s) <u>7-23</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5)⊠ Claim(s) <u>15-23</u> is/are allowed.							
6)⊠ Claim(s) <u>9 and 11</u> is/are rejected.							
7) Claim(s) <u>7,8,10 and 12-14</u> is/are objected to.							
8) Claim(s) are subject to restriction and/or	8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers		•					
9)⊠ The specification is objected to by the Examiner.							
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a)⊠ All b)□ Some * c)□ None of:							
1.⊠ Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No.							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s)							
Notice of References Cited (PTO-892)	4) Interview Summary						
2)	Paper No(s)/Mail Da 5) Notice of Informal P						
Paper No(s)/Mail Date <u>7/14/05</u> .	6) Other:						

Art Unit: 2836

#### **DETAILED ACTION**

Page 2

#### Specification

1. The disclosure is objected to because of the following informalities: Paragraph 9, line 13 contains the phrase "deviates from". It appears this should be "exceeds".

Appropriate correction is required.

### **Drawings**

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the connection between the regulator R and one of the outputs of power supply component SB3 or a further power supply component (R connected to at least three power supply components), as claimed in claims 14 and 23, and the emergency shutdown device of claim 12, must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering

Art Unit: 2836

of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

#### Claim Objections

3. Claims 7 and 13 are objected to because of the following informalities: Claim 7, line 5 contains the phrase "to power supply". It appears this should be "to the power supply". Claim 7, line 6 contains the phrase "operating the". It appears this should be "operation of the". Claim 13, line 2 contains the phrase "amount of output voltage". It appears this should be "output voltage". Appropriate correction is required.

#### Claim Rejections - 35 USC § 112

- 4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

  The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 5. Claims 9 and 11 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 6. Regarding claims 9 and 11, the phrase "will substantially not exceed" renders the claims indefinite because it is unclear by how much the maximum voltage differential may exceed the reference voltage value or specified maximum voltage value and still be within the scope of the claims.

Application/Control Number: 10/542,446 Page 4

Art Unit: 2836

## Allowable Subject Matter

7. Claims 8, 10, 12, and 14-23 allowed.

8. Claims 7 and 13 would be allowable if rewritten to overcome the objection(s) set forth in this Office Action.

9. Claims 9 and 11 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office Action and to include all of the limitations of the base claim and any intervening claims.

10. The following is an examiner's statement of reasons for allowance:

Claims 15-23 are allowed, and claims 7-14 contain allowable subject matter, because none of the prior art of record discloses or suggests the use of a difference between the voltage outputs of two power supply components as the control parameter for a regulating circuit, in combination with the remaining claimed features.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hal I. Kaplan whose telephone number is 571-272-8587. The examiner can normally be reached on M-F 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Sircus can be reached on 571-272-2800 x36. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

hik

ROBERT L. DEBERADINIS
PRIMARY EXAMINER